ENVIRONMENTAL PRODUCT DECLARATION

as per ISO 14025 and EN 15804

Owner of the Declaration ASSA ABLOY Entrance Systems AB

Programme holder Institut Bauen und Umwelt e.V. (IBU)

Publisher Institut Bauen und Umwelt e.V. (IBU)

Declaration number EPD-ASA-20170041-IBA1-EN

Issue date 01.03.201

/alid to 28.02.2022

Crawford DS6060A curtain dock shelter aluminium ASSA ABLOY Entrance Systems AB



www.ibu-epd.com / https://epd-online.com





General Information

ASSA ABLOY Entrance Systems AB

Programme holder

IBU - Institut Bauen und Umwelt e.V. Panoramastr. 1 10178 Berlin

Germany

Declaration number

EPD-ASA-20170041-IBA1-EN

This Declaration is based on the Product Category Rules (PCR):

PCR Loading dock and loading dock equipment, 01.2017 (PCR tested and approved by the SVR)

Issue date

01.03.2017

Valid to

28.02.2022

remanes Prof. Dr.-Ing. Horst J. Bossenmayer (President of Institut Bauen und Umwelt e.V.)

Dr.-Ing. Burkhart Left

Crawford DS6060A curtain dock shelter aluminium

ASSA ABLOY Entrance Systems AB

Lodjursgatan 10 SE-261 44 Landskrona Sweden

Declared product / Declared unit

This declaration represents 1 mechanical curtain dock shelter with the following configuration:

Dock shelter depth 600 mm, nominal height 3600 mm. nominal width 3450 mm, top curtain 1000 mm, side curtain 700 mm, curtain colour black, parking guides white, aluminium frame. Product name: Crawford DS6060A curtain dock shelter aluminium.

Scope:

This declaration and its LCA study are relevant to the Crawford DS6060A curtain dock shelter aluminium. The production location is Hunedoara, Romania and components are sourced from international tier one suppliers. Crawford DS6060A curtain dock shelter aluminium size vary according to project requirements; a standard dock shelter depth 600 mm, nominal height 3600 mm, nominal width 3450 mm, curtain colour black, parking guides white, aluminium frame. The owner of the declaration shall be liable for the underlying information and evidence; the IBU shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

Verification

The CEN Norm /EN 15804/ serves as the core PCR

Independent verification of the declaration according to /ISO 14025/

internally

externally



Product

Product description / Product definition

Product name: Crawford DS6060A

Product characteristic: Mechanical curtain dock shelter

The vehicle reverses backwards into the curtain dock shelter which seals it off with flexible side and top curtains, giving weather protection during the loading and unloading process when the sectional door of the loading bay is opened.

The curtain material has a very high wear and tear resistance.

Should a vehicle deviate from the dock-in centre-line and hit the shelter frame, built-in springs allow the shelter to follow the movement without being damaged.

The dock shelter consist of five main components:

- 1) Rear frame sides and top
- 2) Bracing arms and springs in the side sections

- 3) Front frame side and top
- 4) Front side curtains and front top curtain
- 5) Continuous roof cover curtain

The rear frame is connected to the building facade around the door opening of the loading bay. The bracing arms and springs in the side sections make the dock shelter collapsible and secures that the front part is tensed with pressure towards the vehicle. The front frame side and top hold the front curtains in place. The front curtains are in contact with the rear construction of the vehicle and seal it off to the side and the top. The continuous roof cover curtain closes the side and top sections between the rear and the front frame; this is the sidewalls and the roof of the dock shelter.



2.2 Application

The Crawford dock shelter is part of the total docking solution. It seals off the vehicle with flexible side and top curtains, giving weather protection during the loading and unloading process when the sectional door of the loading bay is opened.

The Crawford dock shelter is the standard solution for energy saving oriented operators.

2.3 Technical Data

The technical specifications of Crawford DS6060A curtain dock shelter aluminium are as below:

Parameter	Value	Unit
Normal height	3600	mm
Normal width	3450	mm
Normal depth	600	mm
Top curtain	1000	mm
Side curtain	700	mm
Parking guides	white	-
Top and side curtains material, quality, thickness and weight	Double layer with high quality polyester 3.0 mm 3400 g/m²	-
Continuous roof cover material, thickness and weight	One layer high quality polyester 0.5 mm 680 g/m ²	-
Flammability	DIN 75 200	-
Weight	84	kg

The standards that are applied for dock shelters are: DIN 60 001 carrier fabric.

DIN 53 354 tensile strength and DIN 75 200 behaviour in fire.

The Crawford DS6060A dock shelter has been designed to meet all operational and safety requirements in the loading industry according European Directives and the standards issued by the European Standardization Committee (CEN).

2.4 Delivery status

The dock shelter is delivered partly pre-assembled and in individual parts for completion and installation on site.

2.5 Base materials / Ancillary materials

The average composition for Crawford mechanical dock shelter is as following:

Component	Percentage in mass (%)
Aluminium	42.26
Plastics	44.28
Steel	13.46
Total	100.0

2.6 Manufacture

The final manufacturing processes occurs in the factory Hunedoara, Romania. All main aluminium frame parts and steel components are delivered fully processed by local Romanian suppliers, the curtains by a Czech supplier. The production process is composed of fixing the front top and side curtains to the front aluminium frames by sliding the curtain into

the slits in the frame and fixing with rivets, and by packing all the materials into the cardboard box.

The factory in Hunedoara has a Quality Management system certified according to ISO 9001:2008

2.7 Environment and health during manufacturing

ASSA ABLOY is committed to producing and distributing door opening solutions with minimal environmental impact, where health & safety is the primary focus for all employees and associates. Environmental operations, Greenhouse Gas Emissions, energy, water, waste, VOC, surface treatment and H&S are being routinely monitored. Inspections, audits, and reviews are conducted periodically to ensure that applicable standards are met and to evaluate the effectiveness of the environmental management program.

- Code of Conduct covers human rights, labour practices and decent work. Management of ASSA ABLOY is aware of their environmental roles and responsibilities, providing appropriate training, supporting accountability and recognizing outstanding performance.
- The factory of Hunedoara, Romania has an Environmental Management system certified according to ISO 14001:2004

2.8 Product processing/Installation

The dock shelter is delivered partly pre-assembled and in individual parts ready for completion and installation on site.

The rear frame is connected to the facade of the building in front of the door opening of the loading bay, the bracing arms are mounted to the rear frame. The front side frames with pre-mounted front curtains from the factory are connected to the bracing arms. The front top frame with pre-mounted curtains from the factory is connected with angle brackets to the side front frames and the springs are mounted in the side sections. Then the continuous roof curtain is positioned in the profile of the front and rear frame and pulled through to cover the side and roof part. The installation is performed by a qualified Installer using a drilling machine, angle grinder and other hand tools.

2.9 Packaging

The material of the dock shelter is packed in a cardboard box with plastic for the transport safety. The cardboard box and the packing material is recyclable. A wooden pallet is used for the transport, the standard transport volume of one piece is about 3600x1000x300 mm.

Material	Percentage in mass (%)
Wood	79.75
Cardboard/paper	18.68
Plastics	1.57
Total	100.0

2.10 Condition of use

Regular inspections by a trained qualified person is recommended a minimum of one visit per year. The dock shelter must be inspected for wear and tear and the general functionality.



2.11 Environment and health during use

There is no harmful emissive potential. No damage to health or impairment is expected under normal use corresponding to the intended use of the product.\

2.12 Reference service life

Crawford mechanical curtain dock shelters are rated for 15 years of standard daily use. This reference service life based on ASSA ABLOY's own experience over the last 50 years and is valid for the 10 main competitor's products in the docking industry.

2.13 Extraordinary effects

Fire

Mechanical shelter itself is not fireproof and is not suitable to use in a fireproof system.

Water

Contain no substances that have any impact on water in case of flood.

Mechanical destruction

No danger to the environment can be anticipated during mechanical destruction.

2.14 Re-use stage

The product is possible to re-use during the reference service life and be moved from one docking station to another. The majority, by weight, of components are plastic and aluminium which can be recycled. The plastic components can be used for energy recovery within a waste incineration process.

2.15 Disposal

Waste codes according to European Waste Catalogue and Hazardous Waste List - Valid from 1 January 2002.

Manufacturing

Offcuts and scraps during the manufacturing process are directed to a recycling unit. Waste is sent for destruction. No plastic waste occurs during manufacturing stage since all plastic parts are delivered completely by supplier. No processing of the parts takes place in the assembly factory.

EWC 12 01 01 Ferrous metal filings and turnings EWC 08 02 01 Waste coating powders

Packaging

All materials incurred during installation are directed to a recycling unit.

EWC 15 01 01 paper and cardboard packaging

EWC 15 01 02 plastic packaging

EWC 15 01 03 wooden packaging

End of life

All materials are directed to a unit to be separated and processed.

EWC 17 02 03 plastic

EWC 17 04 05 iron and steel

2.16 Further information

ASSA ABLOY Entrance Systems AB Lodjursgatan 10 SE-261 44 Landskrona Sweden www.assaabloyentrance.com



3. LCA: Calculation rules

3.1 Declared Unit

The declaration refers to the functional unit of 1 piece of Crawford DS6060A curtain dock shelter aluminium as specified in Part B requirements on the EPD for PCR Loading dock and loading dock equipment

Declared unit

Name	Value	Unit
Declared unit	84.36 kg	1 piece of mechanical curtain dock shelter
Conversion factor to 1 kg	0.0012	-

3.2 System boundary

Type of the EPD: cradle to gate - with Options The following life cycle stages were considered:

Production stage:

- A1 Raw material extraction and processing
- A2 Transport to the manufacturer and
- A3 Manufacturing

Construction stage:

- A4 Transport from the gate to the site
- A5 Packaging waste processing

End-of-life stage:

- C2 Transport to waste processing
- C3 Waste processing
- C4 Disposal (landfill)

This includes provision of all materials, products and energy, packaging processing and its transport, as well as waste processing up to the end-of waste state or disposal of final residues.

D –Declaration of all benefits and loads

3.3 Estimates and assumptions

<u>Transportation:</u> Data on mode of transport and distances, as reported by suppliers were used for those materials and parts contributing more than 2% of total product mass. Transport by road over an average distance of 2700 km was assumed.

<u>EoL</u>: In the End-of-Life stage, for all the materials; which can be recycled, a recycling scenario with 100% collection rate was assumed.

3.4 Cut-off criteria

In the assessment, all available data from the production process are considered, i.e. all raw materials used, auxiliary materials (e.g. lubricants), thermal energy consumption and electric power consumption - including material and energy flows contributing less than 1% of mass or energy (if available). In case a specific flow contributing less than 1% in mass or energy is not available, worst-case assumption proxies are selected to represent the respective environmental impacts.

Impacts relating to the production of machines and facilities required during production are out of the scope of this assessment.

3.5 Background data

For life cycle modelling of the considered products, the GaBi 6 Software System for Life Cycle Engineering, developed by thinkstep AG, is used /GaBi 6 2013/. The GaBi-database contains consistent and documented datasets which are documented in the online GaBi-documentation /GaBi 6 2013D/. To ensure comparability of results in the LCA, the basic data of GaBi database were used for energy, transportation and auxiliary materials.

3.6 Data quality

The requirements for data quality and background data correspond to the specifications of the /IBU PCR PART

thinkstep performed a variety of tests and checks during the entire project to ensure high quality of the completed project. This obviously includes an extensive review of project-specific LCA models as well as the background data used.

The technological background of the collected data reflects the physical reality of the declared products. The datasets are complete and conform to the system boundaries and the criteria for the exclusion of inputs and outputs.

All relevant background datasets are taken from the GaBi 6 software database.

3.7 Period under review

The period under review is 2015/2016 (12-month average).

3.8 Allocation

Regarding incineration, the software model for the waste incineration plant (WIP) is adapted according to the material composition and heating value of the combusted material. In this EPD, the following specific life cycle inventories for the WIP are considered for:

- Waste incineration of paper
- Waste incineration of wood
- Waste incineration of plastics

Regarding the recycling material of metals, the metal parts in the EoL are declared as end-of-waste status. Thus, these materials are considered in module D. Specific information on allocation within the background data is given in the GaBi dataset documentation.

3.9 Comparability

A comparison or an evaluation of EPD data is only possible if all the data sets to be compared were created according to /EN 15804/ and the building context, respectively the product-specific characteristics of performance, are taken into account.



4. LCA: Scenarios and additional technical information

The following technical information is a basis for the declared modules or can be used for developing specific scenarios in the context of a building assessment if modules are not declared (MND).

Installation into the building (A5)

Name	Value	Unit
Output substances following waste treatment on site (Paper packaging)	8.21	kg
Output substances following waste treatment on site (Plastics packaging)	0.69	kg
Output substances following waste treatment on site (Wood packaging)	35.07	kg

Reference service life

Name	Value	Unit
Reference service life	15	а

End of life (C2-C4)

Name	Value	Unit
Collected separately Aluminium, Steel, Plastics	84.36	kg
Recycling Aluminium	35.65	kg
Recycling Steel	11.35	kg
Incineration Plastic Parts	37.36	kg

Reuse, recovery and/or recycling potentials (D), relevant scenario information

Name	Value	Unit
Collected separately waste type (including packaging)	128.34	kg
Recycling Steel	8.85	%
Recycling Aluminium	27.78	%
Incineration Plastic Parts (incl. packaging)	29.64	%
Reuse Paper packaging (from A5)	6.40	%
Incineration of wood (from A5)	27.33	%



5. LCA: Results

Results shown below were calculated using CML 2000 – Apr. 2013 Methodology.

DESC	CRIP	TION O	F THE S	YSTEM	BOU	NDA	RY (X = IN	CLUD	ED I	ΝL	.CA; I	MND =	MO	DUL	E N	OT DE	ECL.	ARED)
		CONSTRUCTION													IEFITS AND				
PROD	DUCT	STAGE	PROC	ESS	USE STAGE								END OF LIFE STAGE				BE'	LOADS YOND THE	
			STA	GE															SYSTEM UNDARYS
ial	.	ing	Manufacturing Transport from the gate to the site Assembly			ce		nt ¹⁾	Refurbishment ¹⁾	Operational energy		Operational water use	De-construction demolition	.	-	Waste processing			7 - 2 -
Raw material supply	Transport	Manufacturing	ansport from th gate to the site	Assembly	g.	Maintenance	air	Replacement ¹⁾	hme	al e	Ф	al v e	-constructi demolition	Transport	.) Ce	Disposal	se-	Recovery- Recycling- potential
w mater	ans	ufa	to 1	ssei	Use	nte	Repair	lace	rbis	ion	nse	itiona use	ous	ans		bro	isp	Reuse-	ecyc oter
Rav	1	Man	ansp	Ϋ́		Maj		Sep	efu	erai		era	e-c de	F		aste		_	8 8 a
			Tra					<u> </u>	~	do		Ŏ			3	≶			
A1	A2	A3	A4	A5	B1	B2	В3	В4	B5	Be	6	В7	C1	C2	2 0	23	C4		D
Х	Χ	X	Х				MND		MND	MN		MND	MND	Χ		X	Χ		Χ
			IE LCA -	ENVIR	ONME	ENTA	L IM	PACT	: One	piec	e C	crawfo	ord DS	606	0A c	urta	iin do	ck s	helter
Param			Parameter		U	nit	А	1 - A3	A4		-	A5	C2		C3		C4		D
GW	'P	Global	warming po	tential	[kg C	O ₂ -Eq.] 4.6	61E+02	1.62E-	+01	6.98	3E+01	4.02E-	01	0.00E-	+00	9.38E-	+01	-4.17E+02
ODI	Р		ion potential			FC11-	1.2	21E-07	7.76E	-11	2.82	2E-10	1.92E-	12	0.00E-	+00	2.83E	-10	1.29E-07
AP	,		on potential of water			<u>գ.յ</u> Ͻ₂-Eq.՝] 2.6	61E+00	7.52E	-02	1.09	9E-02	1.84E-	03	0.00E-	+00	2.39E	-02	-2.04E+00
EP)	Eutrop	phication pot	tential	[kg (PC		_	51E-01	1.70E	-02	1.71	1E-03	4.20E-	04	0.00E-	+00	1.81E	-03	-1.02E-01
POC	P	Formation	potential of tro	opospheric oxidants	[kg Eth	nen Eq	j.] 2.1	15E-01	-2.38E	-02	8.50	0E-04	-5.93E-	04	0.00E-	+00	1.16E	-03	-1.25E-01
ADP	PΕ	Abiotic d	lepletion pote fossil resour	ential for	[kg S	b Eq.]	1.5	51E-03	6.11E	-07	1.04	4E-06	1.52E-	08	0.00E-	+00	6.20E	-06	-5.92E-05
ADP	PF	Abiotic d	lepletion pote	ential for	[N	/J]	6.5	54E+03	2.24E-	2.24E+02 1.6		BE+01	5.55E+	00	0.00E-	+00	3.97E-	+01	-4.36E+03
DEAL	T.C	fossii resources					_												
RESU	<u>JL I S</u>	OF TH	IE LCA -	RESOL	JRCE	USE	: On	e piec	e Crav	wfor	d D	S606	0A cur	tain	doc	k sł	nelter	alur	minium
Param		OF IH	IE LCA - Param		JRCE		: On	e piec		wfore	d D	S606 A5	0A cur			k sł	nelter C		minium D
	eter			eter energy as		U			\ 3		d D								
Param	eter	Renewat Renewat	Paramole primary	eter energy as er energy res	energy		nit	A1 - A	\3 +03		d D	A5							
Param PER	eter RE	Renewak Renewak	Paramo ole primary o carrio ole primary o	eter energy as er energy res utilization ole primary	energy	(N)	I nit MJ]	A1 - A	\3 +03 +00			A5	- -	2		:3 - -		4	
Param PER PER	RE MRT	Renewab Renewab a Total use Non-rei	Parame ple primary e carrie ple primary e as material e of renewab resour newable pri energy c	eter energy as er energy res utilization ble primary ces mary ener earrier	energy sources r energy gy as	(N)	MJ]	A1 - A 2.52E- 0.00E-	A3 +03 +00 +03 8.8	A4 -		A5 - -	- -	2	- C	E+00		4	- -
PER PER	RE RE RE	Renewab Renewab a Total use Non-rei	Parame ple primary e carrie ple primary e as material e of renewable pri energy e newable pri material ut	eter energy as er energy res utilization ble primary ces mary ener earrier mary ener ilization	energy sources r energy gy as gy as	U	MJ] MJ]	A1 - A 2.52E- 0.00E- 2.52E-	+03 +00 +03 8.8 +03	- - 0E+00		A5 58E+0	- -	2	0.006	E+00	2.91E	4	- -
PER PER PENI	RE RE RM	Renewab Renewab a Total use Non-rei	Parame ple primary e carrie ple primary e as material e of renewab resoure newable pri energy c newable pri	eter energy as er energy res utilization ble primary ces mary ener arrier mary ener ilization newable p	energy sources r energy gy as gy as	U	MJ] MJ] MJ] MJ]	2.52E- 0.00E- 2.52E- 7.79E-	+03	- - 0E+00	0 1.	- - .58E+0	2.19i	2 =-01	0.006	E+00	2.91E	1 :+00	- -
PER PENI	RE RM RT	Renewab Renewab a Total use Non-rei Non-rei	Parame carrie ble primary e as material u of renewab resour newable pri energy c newable pri material ut de of non-rer	eter energy as er energy res utilization ole primary ces mary ener earrier mary ener ilization newable p sources	energy sources r energy gy as gy as rimary	\(\begin{align*} \begin{align*} \beg	MJ] MJ] MJ] MJ]	2.52E- 0.00E- 2.52E- 7.79E- 0.00E-	+03 +03 +03 +03 +03 +00	- - 0E+00	0 1.	- - .58E+0 -		2 =-01 =+00	0.006	E+00 E+00	2.91E	±+00	-1.47E+03
Param PER PER PENI PENI PENI	RE RM RT	Renewat Renewat Total use Non-rei Non-rei Total us	Parame carrie ole primary e as material u of renewab resour newable pri energy c newable pri material ut e of non-rer energy res	eter energy as er energy res utilization le primary ces mary ener arrier mary ener ilization newable p sources ary materi	energy sources r energy gy as gy as rimary	(N)	MJ] MJ] MJ] MJ]	A1 - / 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.79E- 7.34E- 0.00E-	+00	A4 - - 0E+00 - - - 4E+02	0 1.	A558E+092E+0		2 =-01 =+00 =+00 =+00	0.00E	E+00 E+00 E+00	2.91E - 4.41E	+00	D
Param PER PER PENI PENI PENI RSI	RE R	Renewatian	Parame ple primary of carrie ple primary of as material of renewable primary energy of newable primaterial uttle of non-rerenewable son-renewable son-renewable son-renewable son-renewable	eter energy as er energy res utilization ole primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary	energy sources r energy gy as gy as rimary al	U		A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E-	+00 +00 +03 8.8 +03 2.2 +00 0.0 +00 0.0	A4 4E+02 0E+00 0E+00 0E+00	0 1. 0 1. 22 1. 0 0. 0 0.	A558E+092E+0 .00E+0 .00E+0	C 2.191	= -01 =+00 =+00 =+00 =+00	0.00E	E+000 E+000 E+000	2.91E 4.41E 0.00E 0.00E	£+00 £+01 £+00 £+00	-1.47E+035.41E+03 0.00E+00 0.00E+00
Param PER PER PENI PENI PENI RSI NRS	RE RE RT If F	Renewath Renewath Renewath Total use Non-rei Total us Use Use of Use of no	Parame carrie cle primary of carrie cle primary of sa material of renewable primary of energy of enewable primaterial utility of non-renewable son-renewable son-renewa	eter energy as er energy res energy res utilization lee primary ces mary ener earrier mary ener ilization newable p sources ary materi secondary e secondary	energy sources renergy gy as gy as rimary al r fuels	U	MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E- 4.74E-	+00 +00 +03 +03 +00	A4	1	A558E+092E+0 .00E+0 .00E+0 .84E-0	0 2.199 	=-01 =+00 =+00 =+00 =-04	0.00E 0.00E 0.00E 0.00E 0.00E 0.00E	E+00 E+00 E+00 E+00 E+00	2.91E	i+00 i+01 i+00 i+00 i+00	-1.47E+03 -1.41E+03 -5.41E+03 0.00E+00 0.00E+00 -3.87E+00
Param PER PER PENI PENI PENI RSI NRS	RE R	Renewath Renewath For the second of the seco	Parame ple primary of carrie ple primary of as material of renewable primaterial ut ple of non-renewable primaterial ut ple of non-renemable of secondarenewable secondarene	eter energy as energy res energy res energy res utilization ole primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary esh water	energy sources renergy gy as gy as rimary al r fuels	U	MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E- 4.74E-	+00 +00 +03 +03 +00	A4	1	A558E+092E+0 .00E+0 .00E+0 .84E-0	0 2.199 	=-01 =+00 =+00 =+00 =-04	0.00E 0.00E 0.00E 0.00E 0.00E 0.00E	E+00 E+00 E+00 E+00 E+00	2.91E	i+00 i+01 i+00 i+00 i+00	-1.47E+03 -1.41E+03 -5.41E+03 0.00E+00 0.00E+00 -3.87E+00
Param PER PER PENI PENI PENI SM RSI NRS FW	RE R	Renewath Renewath For the second of the seco	Paramore carried ble primary of as material ut energy conewable primaterial ut energy reserved ble son-renewable son-rene	eter energy as er energy res utilization ole primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary e secondary country e output out	energy sources renergy gy as gy as rimary al fuels	UU	MINITURE MANUAL	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E- 4.74E- D WA	+00 +00	A4	22 1. 00 0. 00 0. 00 0. 00 0.	.58E+0 .58E+0 .92E+0 .00E+0 .00E+0 .00E+0	1 5.56E 0 0.00E 0 0.00E 1 1.54E	=-01 =+00 =+00 =+00 =-04	0.000 0.000	E+00 E+00 E+00 E+00 E+00	2.91E	i+00 i+01 i+00 i+00 i+00	-1.47E+035.41E+03 0.00E+00 0.00E+00 -3.87E+00
Param PER PER PENI PENI PENI RSI NRS	RE R	Renewatian	Parame ple primary of carrie ple primary of as material of renewable primaterial ut ple of non-renewable primaterial ut ple of non-renemable of secondarenewable secondarene	eter energy as er energy res energy res utilization le primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary e secondar esh water OUTPU ninium r	energy sources r energy gy as rgy as rimary al fuels JT FL	UU [N [N]	MJ] MJ] MJ] MJ] MJ] MJ] MJ] MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E- 4.74E-	+00 +00 +03 +03 +00		1	A5	0 2.199 	=-01 =+00 =+00 =+00 =-04	0.00E 0.00E 0.00E 0.00E 0.00E 0.00E	E+000 E+000 E+000 E+000 E+000	2.91E	i+00 i+01 i+00 i+00 i+00 i=01	-1.47E+03 -1.41E+03 -5.41E+03 0.00E+00 0.00E+00 -3.87E+00
Param PER PERI PENI PENI PENI SM RSI NRS FW RESU Curta	RE R	Renewath Ren	Paramete Parame	eter energy as er energy res energy res utilization ole primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary e secondar esh water OUTPU ninium r	energy sources y energy gy as gy as rimary al fuels JT FL U	UU	MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 0.00E- 4.74E- D WA	+00 +00 +03 +03 +03 +00 +00 -00 -0	A4	2 1. 0 0. 0 0. 0 0. 0 0. 0 0. 48	A5	C 2.191	=-01 =-01 =+00 =+00 =-04 piec	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	E+00 E+00 E+00 E+00 E+00	2.91E 4.41E 0.00E 0.00E 2.29E Ord D3	i+00 i+00 i+00 i+00 i+00 i+00 i-00 i-00	D -1.47E+03 -1.47E+03 -5.41E+03 0.00E+00 0.00E+00 -3.87E+00 60A D
Param PER PER PENI PENI PENI RSI RSI RESU Curta Param	RE R	Renewatian	Paramete ple primary carrie ple of non-rer ple of seconds primary carrie ple of seconds primary carrie ple of seconds primary carrie ple of non-rer ple of seconds primary carrie ple of non-rer ple of seconds primary carrie ple of se	eter energy as er energy res energy res energy res utilization ole primary ces mary ener arrier mary ener ilization newable p sources ary materi secondary e secondary e sh water OUTPU ninium r disposed	energy sources r energy gy as ry gy as rimary al r fuels JT FL U [k		MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 4.74E- D WA E-01	A3	A4	0 1. 0 1. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0.	A558E+092E+0 .00E+0 .00E+0 .84E-0 RIES 5 =-03 E+00	11 5.566 10 0.000 10 0.000 10 0.000 11 1.541 1: One	=-01 ==+00 ==+00 ==+00 ==-04 ==-04	0.000 0.000	E+000 E+000 E+000 E+000 E+000 E+000	2.91E	±+00 ±+00 ±+00 ±+00 ±+00 =-01	D -1.47E+03 -1.47E+03 -1.47E+03 -1.00E+00 0.00E+00 0.00E+00 -3.87E+00 60A D -1.12E-01
Param PER PER PENI PENI PENI SM RSI NRS FW RESU CUITA Param HW	RE RR R	Renewat Renewat Renewat Renewat Renewat Renewat Renewat Renewat Ron-rei Value Non-rei Total us Use of Use of no Use of no Use of no Use of no Renewat Radioac	Paramete Parame	eter energy as er energy res energy res energy res utilization le primary ces mary ener earrier mary ener ilization newable p sources ary materi secondary e secondary e secondary esh water OUTPU ninium r disposed de disposed	energy sources r energy gy as gy as rimary al fuels ary fuels U [k d [k	U	MJ]	2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.79E- 0.00E- 4.74E- D WA E-01 E+01	HO3		2 1. 0 0 0. 0 0. 0 0. 0 0. 0 0. 45 1.34E	.00E+0 .00E+0 .00E+0 .84E-0 RIES	0 2.191	=-01 =+00 =+00 =+00 =-04 =-04 =-04 =-04 =-04	0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	E+00 E+00 E+00 E+00 E+00 E+00 E+00 E+00	2.91E	£+01 £+00 £+00 £+00 £-01 £-01 003 003	D -1.47E+03
Param PER PERI PENI PENI PENI SM RSI NRS FW RESU Curta Param HW NHV RW	RE R	Renewatian	Paramete Dele primary of carrie Dele primary of carrie Dele primary of sa material of renewable resourn newable primaterial ut De of non-renewable of seconds renewable of seconds Deleter alun Paramete dous waste of ardous waste cardous waste cardous waste	eter energy as er energy resutilization ple primary ener arrier mary ener allization newable p sources ary materi secondary e secondary e secondary e court of the primary ener arrier mary ener allization newable p sources ary materi secondary e secondary e secondary e secondary e secondary e secondary e disposed disposed disposed re-use	energy sources renergy gy as gy as rimary al fuels JT FL U [k d [k]	U	MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 4.74E- D WA - A3 E-01 E+01 E+00 E+00	A3	A4	2 1. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0. 0 0. 1.33 1. 48 4.21E		0 2.191 1 5.566 0 0.006 0 0.006 1 1.541 1 27E-0 7.00E-0 7.29E-0	=-01 =-01 =-00 =-00 =-04 =-04 =-04 =-04 =-04 =-04	0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008	E+000 E+000 E+000 E+000 E+000 E+000 E+000 E+000 E+000	2.91E 4.41E 0.00E 0.00E 0.00E 2.29E C4 3.08E- 8.74E+ 1.76E-	±+01 ±+00 ±+00 ±+00 =-01 003 003 000 000	D -1.47E+03 -1.47E+03 -5.41E+03 0.00E+00 0.00E+00 -3.87E+00 60A D -1.12E-01 -5.28E+01 -4.19E-01
Param PER PER PENI PENI PENI RSI RSI Curta Param HW NHV RW CR	RE RE RM RT A PER	Renewatian	Paramete ple primary of carries ple primary of carries ple primary of as material of renewable primaterial uttee of non-rerenewable seed of secondarenewable seed of secondarenewable seed of the paramete dous waste of ardous waste of ponents for	eter energy as er energy res ener	energy sources r energy gy as rimary al fuels ary fuels U [k d [k [k [k]	U	MJ]	A1 - A 2.52E- 0.00E- 2.52E- 7.79E- 0.00E- 7.34E- 0.00E- 4.74E- D WA - A3 E-01 E+01 E+00 E+00	A3	A4	22 1. 00 0.	A5	0 2.191	=-01 =+00 =+00 =+00 =-04 piec 55 (4 (6 (6) (0) (4) (0) (4) (0) (4) (0) (0) (4) (0) (0) (0) (0) (0) (0) (0) (0) (0) (0	0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006 0.006	E+000 E+000 E+000 E+000 E+000 000 000 00	2.91E 4.41E 0.00E 0.00E 0.00E 2.29E C4 3.08E- 8.74E+ 1.76E- 0.00E+	±+01 ±+00 ±+00 ±+00 ±+00 03 00 00 00 -00	D -1.47E+035.41E+03 0.00E+00 0.00E+00 -3.87E+00 60A D -1.12E-01 -5.28E+01 -4.19E-01 0.00E+00



6. LCA: Interpretation

This chapter contains an interpretation of the Life Cycle Impact Assessment categories. Stated percentages in the whole interpretation are related to the overall life cycle, excluding credits (module D).

The production stage (modules A1-A3) contributes between 72% and 100% to the overall results for all the environmental impact assessment categories hereby considered. Aluminium and steel account in total for more than 85% of the overall mass of the

product, therefore, the impacts are in line with the mass composition of the product. The environmental impacts for the transport (A2) have a negligible impact within this stage.

In the end-of-life stage, there are loads and benefits (module D, negative values) considered. The benefits are considered beyond the system boundaries and are declared for the recycling potential of the metals and for the credits from the incineration process (energy substitution).

7. Requisite evidence

Not applicable in this EPD.

8. References

Institut Bauen und Umwelt

Institut Bauen und Umwelt e.V., Berlin (pub.): Generation of Environmental Product Declarations (EPDs);

General principles

For the EPD range of *Institut Bauen und Umwelt* e.V. (IBU), 2013-04 www.ibu-epd.com

PCR Part A

Institut Bauen und Umwelt e.V., Berlin (pub.): Product Category Rules for Construction Products from the range of Environmental Product Declarations of Institut Bauen und Umwelt (IBU), Part A: Calculation Rules for the Life Cycle Assessment and Requirements on the Background Report. April 2013

www.ibu-epd.com

PCR Part B

IBU PCR Part B: PCR Guidance-Texts for Building-Related Products and Services. From the range of Environmental Product Declarations of Institute Construction and Environment e.V. (IBU). Part B: Requirements on the EPD for PCR Loading dock and loading dock equipments.

www.ibu-epd.com

ISO 14025

ISO 14025:2011-10: Environmental labels and declarations — Type III environmental declarations — Principles and procedures

ISO 14001:2009

Environmental management systems - Requirements with guidance for use (ISO 14001:2004 + Cor. 1:2009)

ISO 9001:2008

Quality management systems - Requirements

EN 15804

EN 15804: 2012+A1:2014: Sustainability of construction works — Environmental Product Declarations — Core rules for the product category of construction products

OHSAS 18001:2007

Occupational Health and Safety Assessment Series

GaBi 6 2013

GaBi 6 2013: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Leinfelden-Echterdingen, 1992-2013.

GaBi 6 2013D

GaBi 6 2013D: Documentation of GaBi 6: Software-System and Database for Life Cycle Engineering. Copyright, TM. Stuttgart, Leinfelden-Echterdingen, 1992-2013. http://documentation.gabi-software.com/

DIN 60 001

Carrier fabric

DIN 53 354

Tensile strength

DIN 75 200

Behavior in fire

EWC

Waste codes according to European Waste Catalogue and Hazardous Waste List - Valid from 1 January 2002.

http://ec.europa.eu/environment/waste/framework/list.htm

EWC 15 01 01

paper and cardboard packaging

EWC 15 01 02

plastic packaging

EWC 15 01 03

wooden packaging

EWC 17 02 03

plastic

EWC 17 04 05 iron and steel



9. Annex

Results shown	below were	calculated	using	TRACI Methodology.

DESC	DESCRIPTION OF THE SYSTEM BOUNDARY (X = INCLUDED IN LCA; MND = MODULE NOT DECLARED)															
PROI	DUCT S	TAGE	CONST ON PRO	OCESS		USE STAGE END OF LIFE STAGE						BENEFITS AND LOADS BEYOND THE SYSTEM BOUNDARYS				
Raw material supply	Transport	Manufacturing	Transport from the gate to the site	Assembly	esn	Maintenance	Repair	Replacement ¹⁾	Refurbishment ¹⁾	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Recovery- Recycling- potential
A1	A2	А3	A4	A5	B1					C3	C4	D				
Х	Х	Х	Х	Х	MND	MND	MND	MND	MND	MND	MND	MND	Х	Х	Х	Х

RESULTS OF THE LCA - ENVIRONMENTAL IMPACT: One piece Crawford DS6060A curtain dock shelter aluminium

Parameter	Parameter	Unit	A1 - A3	A4	A5	C2	СЗ	C4	D
GWP	Global warming potential	[kg CO ₂ -Eq.]	4.61E+02	1.62E+01	6.98E+01	4.02E-01	0.00E+00	9.38E+01	-4.17E+02
ODP	Depletion potential of the stratospheric ozone layer	[kg CFC11-Eq.]	1.29E-07	8.25E-11	3.00E-10	2.05E-12	0.00E+00	3.01E-10	1.38E-07
AP	Acidification potential of land and water	[kg SO ₂ -Eq.]	2.49E+00	9.80E-02	1.27E-02	2.40E-03	0.00E+00	2.80E-02	-1.92E+00
EP	Eutrophication potential	[kg N-eq.]	9.85E-02	6.88E-03	6.96E-04	1.70E-04	0.00E+00	8.55E-04	-5.32E-02
Smog	Ground-level smog formation potential	[kg O ₃ -eq.]	2.50E+01	2.01E+00	2.51E-01	4.95E-02	0.00E+00	2.20E-01	-1.79E+01
Resources	Resources – resources fossil	[MJ]	6.43E+02	3.22E+01	1.89E+00	7.98E-01	0.00E+00	4.09E+00	-4.04E+02

RESULTS OF THE LCA - RESOURCE USE: One piece Crawford DS6060A curtain dock shelter aluminium

Parameter	Parameter	Unit	A1 - A3	A4	A5	C2	C3	C4	D
PERE	Renewable primary energy as energy carrier	[MJ]	2.52E+03	-	-	-	-	-	-
PERM	Renewable primary energy resources as material utilization	[MJ]	0.00E+00	-	-	-	-	-	-
PERT	Total use of renewable primary energy resources	[MJ]	2.52E+03	8.80E+00	1.58E+00	2.19E-01	0.00E+00	2.91E+00	-1.47E+03
PENRE	Non-renewable primary energy as energy carrier	[MJ]	7.79E+03	-	-	-	-	-	-
PENRM	Non-renewable primary energy as material utilization	[MJ]	0.00E+00	-	-	ı	ı	ı	-
PENRT	Total use of non-renewable primary energy resources	[MJ]	7.79E+03	2.24E+02	1.92E+01	5.56E+00	0.00E+00	4E+01	-5.41E+03
SM	Use of secondary material	[kg]	7.34E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	Use of renewable secondary fuels	[MJ]	0.00E+00						
NRSF	Use of non-renewable secondary fuels	[MJ]	0.00E+00						
FW	Use of net fresh water	[m³]	4.74E+00	6.21E-03	1.84E-01	1.54E-04	0.00E+00	2.29E-01	-3.87E+00

RESULTS OF THE LCA – OUTPUT FLOWS AND WASTE CATEGORIES: One piece Crawford DS6060A curtain dock shelter aluminium

Parameter	Parameter	Unit	A1 - A3	A4	A5	C2	C3	C4	D
HWD	Hazardous waste disposed	[kg]	2.67E-01	5.11E-04	1.34E-03	1.27E-05	0.00E+00	3.08E-03	-1.12E-01
NHWD	Non-hazardous waste disposed	[kg]	6.28E+01	2.82E-02	1.21E+00	7.00E-04	0.00E+00	8.74E+00	-5.28E+01
RWD	Radioactive waste disposed	[kg]	4.97E-01	2.94E-04	1.17E-03	7.29E-06	0.00E+00	1.76E-03	-4.19E-01
CRU	Components for re-use	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
MFR	Materials for recycling	[kg]	0.00E+00	0.00E+00	4.33E+01	0.00E+00	4.72E+01	0.00E+00	-
MER	Materials for energy recovery	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	-
EEE	Exported electrical energy	[MJ]	0.00E+00	0.00E+00	8.33E+01	0.00E+00	0.00E+00	1.80E+02	-
EET	Exported thermal energy	[MJ]	0.00E+00	0.00E+00	2.34E+02	0.00E+00	0.00E+00	4.93E+02	-

Institut Bauen und Umwelt e.V.	Publisher Institut Bauen und Umwelt e.V. Panoramastr. 1 10178 Berlin Germany	Tel Fax Mail Web	+49 (0)30 3087748- 0 +49 (0)30 3087748- 29 info@ibu-epd.com http://ibu-epd.com/
Institut Bauen und Umwelt e.V.	Programme holder Institut Bauen und Umwelt e.V. Panoramastr 1 10178 Berlin Germany	Tel Fax Mail Web	+49 (0)30 - 3087748- 0 +49 (0)30 - 3087748 - 29 info@ibu-epd.com http://ibu-epd.com/
thinkstep	Author of the Life Cycle Assessment thinkstep AG Hauptstraße 111-113 70771 Leinfelden-Echterdingen Germany	Tel Fax Mail Web	+49 (0)711 341817-0 +49 (0)711 341817-25 info@thinkstep.com www.thinkstep.com
ASSA ABLOY	Owner of the Declaration ASSA ABLOY Entrance Systems AB Lodjursgatan 10 SE-261 44 Landskrona Sweden	Tel Fax Mail Web	